

PARIVESH

(Pro-Active and Responsive Facilitation by Interactive, and Virtuous Environmental Single-Window Hub)

ENVIRONMENTAL
CLEARANCE



Government of India Ministry of Environment, Forest and Climate Change (Issued by the State Environment Impact Assessment Authority(SEIAA), Maharashtra)

To,

The Partner

M/S. VAIBHAV CLASSIC BUILDERS & DEVELOPERS

Classic House, S. No. 395/396, Plot No. 23, Flat No. 3, Senapati Bapat
Road, Shivajinagar, Pune -411016

Subject: Grant of Environmental Clearance (EC) to the proposed Project Activity
under the provision of EIA Notification 2006-regarding

Sir/Madam,

This is in reference to your application for Environmental Clearance (EC) in respect of project submitted to the SEIAA vide proposal number SIA/MH/MIS/219446/2021 dated 14 Jul 2021. The particulars of the environmental clearance granted to the project are as below.

1. EC Identification No.	EC22B038MH157633
2. File No.	SIA/MH/MIS/219446/2021
3. Project Type	Expansion
4. Category	B2
5. Project/Activity including Schedule No.	8(a) Building and Construction projects
6. Name of Project	Proposed Expansion of Residential Building Construction Project "Swargandhar" by M/s. Vaibhav Classic Builders & Developers
7. Name of Company/Organization	M/S. VAIBHAV CLASSIC BUILDERS & DEVELOPERS
8. Location of Project	Maharashtra
9. TOR Date	N/A

The project details along with terms and conditions are appended herewith from page no 2 onwards.

(e-signed)
Pravin C. Darade, I.A.S.
Member Secretary
SEIAA - (Maharashtra)

Date: 24/11/2022

Note: A valid environmental clearance shall be one that has EC identification number & E-Sign generated from PARIVESH. Please quote identification number in all future correspondence.

This is a computer generated cover page.



STATE LEVEL ENVIRONMENT IMPACT ASSESSMENT AUTHORITY

No. SIA/MH/MIS/219446/2021
Environment & Climate
Change Department
Room No. 217, 2nd Floor,
Mantralaya, Mumbai- 400032.

To

M/s. Vaibhav Classic Builders & Developers,
Gat No. 986, 987, 988, 992(P), 856,
Village – Uruli Kanchan, Tal. - Haveli, Dist. Pune

Subject : Environmental Clearance for Proposed Expansion of Residential Building Construction Project “Swargandhar” Gat No. 986, 987, 988, 992(P), 856, Village – Uruli Kanchan, Tal. - Haveli, Dist. Pune by M/s. Vaibhav Classic Builders & Developers

Reference : Application no. SIA/MH/MIS/219446/2021

This has reference to your communication on the above-mentioned subject. The proposal was considered by the SEAC-3 in its 133rd meeting under screening category 8 (a) B2 as per EIA Notification, 2006 and recommend to SEIAA. Proposal then considered in 252nd (Day-2) meeting of State Level Environment Impact Assessment Authority (SEIAA).

2. Brief Information of the project submitted by you is as below:-

1.	Proposal Number	SIA/MH/MIS/ 219446/2021	
2.	Name of Project	Proposed Expansion of Residential Building Construction Project “Swargandhar” by M/s .Vaibhav Classic Builders & Developers	
3.	Project category	B2	
4.	Type of Institution	Private	
5.	Project Proponent	Name	Mr. Anil Pawar
		Regd. Office address	Classic House, S. No. 395/396, Plot No. 23, Flat No. 3, Senapati Bapat road, Shivajinagar, Haveli Pune 411016
		Contact number	020-25652900
		e-mail	anilpawar.classicgroup@gmail.com
6.	Consultant	M/s SGM Enviro (I) Pvt Ltd Accreditation No. QCI/NABET/ENV/ACO/21/1976 Validity: July 19, 2024	
7.	Applied for	Expansion Project	
8.	Details of previous EC	NA	
9.	Location of the	Gat No. 986, 987, 988, 992(P), 856, Village – Uruli Kanchan,	

	project	Tal. - Haveli, Dist. Pune, Maharashtra			
10 .	Latitude and Longitude	Latitude- 18.484597 N, Longitude- 74.130119 E			
11 .	Total Plot Area (m2)	28800.0			
12 .	Deductions (m2)	2230.0			
13 .	Net Plot area (m2)	22475.0			
14 .	Proposed FSI area (m2)	Total FSI area: 23805.06 (Existing FSI area: 16594.39 + Proposed FSI area:7210.67)			
15 .	Proposed non-FSI area (m2)	Total Non FSI: 4546.68 (Existing Non FSI area: 3064.60 + Proposed Non FSI area: 1482.08)			
16 .	Proposed TBUA (m2)	Total BUA: 28351.74			
17 .	TBUA (m2) approved by Planning Authority till date	19658.99 Sq. m Approved Plan and C. C letter: PRH/NASR/836/2011, Dt.22/11/2013 by Town planning Authority			
18.	Ground coverage (m2) & %	Ground Converge % of 18 % , Total ground coverage (m2) : 4180.86			
19 .	Total Project Cost (Rs.)	Total Project Cost: Rs. 59.6 Cores			
20 .	CER as per MoEF & CC circular dated 01/05/2018	Activity	Location	Cost (Rs.)	Duration
		Distribution of PPT Kit, Mask & Oxygen	Primary Health Centre, Uruli Kanchan, Pune	1	
		Well-equipped Ambulance will be handover to 'Primary Health Centre	Primary Health Centre, Uruli Kanchan, Pune	10	
		Infrastructure development activity will be carried out in Uruli khanchan village like Road development, Provision of solar street light, Plantation etc	Uruli Kanchan, Pune	5	2021-2022
		Below mentioned activities (i to v) will be carried out in Zilla	Uruli Kanchan, Pune		2021-2026

		Parishad Primary School, Uruli Kanchan				
		20 No. of tree will be planted & Tree guard will be provided with its maintenance		1.5		
		10 No of computer , 1. Projector, Library books (50 No.s) will be provided		2.35		
	<p>Details of Building Configuration :</p> <p><Please use following legends: Floor = F , Parking = Pk, Podium = Po, Stilt =St, Lower Ground = LG, Upper Ground = UG, Basement = B, Shops = Sh></p>					
	Previous EC / Existing Building		Proposed Configuration			
21	Building Name	Configuration	Height (m)	Building Name	Configuration	Height (m)
	Existing Building: A1 & A2 (32 No of flats)	G+3& P+4	14.85	Under Construction Building E1 (42 No of flats) Constructed (P + 4) Proposed Extra 3 floor	P + 7	22.80
	Existing Building : A3 (16 No of flats)	G+3& P+4	14.85	Proposed Building B8 & B9 (56 No of flats)	P + 7	22.80
	Existing Building: A4 & A5, A6 & A7 (64 No of flats)	G+3& P+4	14.85	Proposed Building : D1 (56 No of flats)	P + 7	22.80
	Existing Building : B1(16 No of flats)	G+3& P+4	14.85	Club House	G + 1	3.60
	Existing Building : B2 & B3 (32 No of flats)	G+3&P +4	14.85			
	Existing Building : B4 & B5, B6 & B7 (64 No of flats)	G+3&P +4	14.85			

	Existing Building : C1 (16 No of flats)	G+3&P +4	14.85				
	Existing Bunglow -1	Ground	3.60				
	Existing Bunglow -1	Ground	3.60				
22	Total number of tenements		394 flats + Existing 2 Bungalows				
23	Water Budget		Dry Season (CMD)		Wet Season (CMD)		
			Fresh Water	178.20	Fresh Water	178.20	
			Recycled For flushing	89.10	Recycled For flushing	89.10	
			Recycled For gardening	25	Recycled For gardening	0	
			Swimming Pool	0	Swimming Pool	0	
			Total	292.3	Total	267.3	
			Waste water generation	240.57	Waste water generation	240.57	
24	Water Storage Capacity for Firefighting / UGT		UG WT capacity for all buildings For Domestic = 222.750 m ³ For Drinking = 44.55 m ³ For Flushing = 133.650 m ³ Total UGT Capacity = 267.30 m ³ 1.5 days Capacity				
25	Source of water		Urulikanchan Grampanchayat				
26	Rainwater Harvesting (RWH)	Level of the Ground water table:		Summer Season – 13.00 m. to 17.33 m. BGL. (15.165 M. Average) Rainy Season – 5.67 m. to 8.00 BGL. (6.835 M. Average) Winter Season – 9.335 m. to 12.665 m. BGL. (11.00 M. Average)			
		Size and no of RWH tank(s) and Quantity:		NA			
		Quantity and size of recharge pits:		<ul style="list-style-type: none"> No. of recharge pits: Total 11 Nos. (7 for roof top & 4 for surface run off) Size: a) 2.25 m. X 2.25 m. X 2.00 m. Depth with 40 To 60 m. Deep 6" Dia. Bore Well via 1 No. of de-siltation pit of 0.9 m. Dia. 1.0 m. Depth. (For RT) b) 2.25 m. X 2.25 m. X 1.75 m. Depth with 40 To 60 m. Deep 6" Dia. Bore Well via 2 No. of de-siltation pits of 0.9 m. Dia. 1.0 m.			

			Depth. (For Surface Run off)) Harvesting Capacity: 6,375.00 m ³ /Year i.e. 127.50 m ³ / Day.
		Details of UGT tanks if any:	UG WT capacity for all buildings For Domestic = 222.750 m ³ For Drinking = 44.55 m ³ For Flushing = 133.650 m ³ Total UGT Capacity = 267.30 m ³ 1.5 days Capacity
27	Sewage and Wastewater	Sewage generation in CMD:	240.57 CMD
		STP technology:	MBBR technology
		Capacity of STP (CMD):	245 KLD
28	Solid Waste Management during Construction Phase	Type	Quantity (kg/d)
		Dry waste:	1.87 kg/day
		Wet waste:	4.37 Kg/day
29	Solid Waste Management during Operation Phase	Type	Quantity (kg/d)
		Wet Waste	594 kg/day No. of OWC unit – 1 , Capacity: 600 kg/day, Location – Ground Disposal: used for garden as a fertilizer
		Dry Waste	396 kg/day Segregated/Sale/Collected by Authorized vendor of grampanchayat Collection method – Door to door
		Hazardous waste:	NA NA
		Biomedic al waste	NA NA
		E waste	5.42 Kg/day Segregated/Sale/Collected by Authorized vendor of grampanchayat.
		STP Sludge	18 kg/day Use as manure

30	Green Belt Development	Total RG area (m2): Existing trees on plot: Number of trees to be planted: Number of trees to be cut: Number of trees to be transplanted:	2730 Sq.m 222 128 0 0		
31	Power requirement:	Source of power supply: During Construction Phase (Demand Load): During Operation phase (Connected load): During Operation phase (Demand load): Transformer:	MSEDCL 30 KW Proposed building connected load: 1482-KW Proposed building demand load: 874 KW 630 KVA – 2.NOS		
		DG set:	a) In Construction phase 1 DG set of 40 KVA will be provided. b) DG set during Operation - 160 KVA – 1.NO.		
		Fuel used:	Diesel		
32	Details of Energy saving	Measures to reduce energy consumption : Generally we have proposed high efficiency transformer, motors etc. to reduce losses. Electronic Ballasts and Energy efficient lamp source either triphosphor or LED are proposed for common area & general lighting with automatic time based control to save power by switching ON & OFF the lights at appropriate time. The estimated saving in common lighting consumption is up to 20 % due to adopting above measures.			
33	Environmental Management plan budget during Construction phase	Details	Capital Cost (Lacs)	O&M (Lacs)	
	Drinking Water	1.00	0.10		
	Sanitation	12.50	0.75		
	Health check up	1.00	0.25		
	Labour Camp Management	3.00	0.50		
	Environmental Monitoring	1.89		-	
34	Environmental Management plan Budget during Operation phase	Component	Details	Capital (Rs.)	O&M (Rs./Y)
	Storm Water	300 mm wide storm water gutter, SW RCC Hume Pipe - 200/300/450 mm Dia provided			
	Sewage	STP -245 KLD	50.00	11.0	

		treatment			
		Water treatment	NA	-	-
		RWH	RWH System	15.0	1.0
		Swimming Pool	--	-	-
		Solid Waste	Organic waste convertor of 600 kg/day	15.00	3.00
		Hazardous waste	NA	-	-
		e-waste	Handover to authorized dealer		
		Green belt development	Plantation	36.0	3.6
		Energy saving	Energy saving measures	46.55	3.0
		Environmental Monitoring	--	-	-
		Disaster Management	Management for flood, earthquake, lightening & fire	-	-
35	Traffic Management	Type	Required as per DCR	Actual Provided	Area per parking (m2)
		4-Wheeler	129	192	12.5 Sq. m
		2-Wheeler	523	523	2 Sq. m
		Bicycles	523	523	0.7 Sq. m
36	Details of Court cases / litigations w.r.t. the project and project location if any.	NA			

3. Proposal is a new construction project. Proposal has been considered by SEIAA in its 252nd (Day-2) meeting and decided to accord Environment Clearance to the said project under the provisions of Environment Impact Assessment Notification, 2006 subject to implantation of following terms and conditions-

Specific Conditions:

A. SEAC Conditions-

- a. As agreed during presentation PP to ensure that the Treated effluent shall be used as per agreement executed with farmers and RMC plants since The common Sewerage system is not in existence.
- b. As agreed during presentation PP to ensure that Proper Fire hydrant System with all necessary Equipment's shall be provided to building which are constructed with earlier Sanction.
- c. PP to provide minimum 30% of total parking arrangement with electric charging facility by providing charging points at suitable places.
- d. PP to ensure that, the water proposed to use for construction phase should not be drinking water. They can use recycled water or tanker water for proposed construction.

B. SEIAA Conditions

- 1. PP to keep open space unpaved so as to ensure permeability of water. However, whenever paving is deemed necessary, PP to provide grass pavers of suitable types & strength to increase the water permeable area as well as to allow effective fire tender movement.
- 2. PP to achieve at least 5% of total energy requirement from solar/other renewable sources.
- 3. PP Shall comply with Standard EC conditions mentioned in the Office Memorandum issued by MoEF& CC vide F.No.22-34/2018-IA.III dt.04.01.2019.
- 4. SEIAA after deliberation decided to grant EC for – FSI – 23805.06 m², Non FSI- 4546.68 m², Total BUA- 28351.74m². (Plan approval No.ja Kra.1248, dated- 29.07.2022).

General Conditions:

a) Construction Phase :-

- I. The solid waste generated should be properly collected and segregated. Dry/inert solid waste should be disposed of to the approved sites for land filling after recovering recyclable material.
- II. Disposal of muck, Construction spoils, including bituminous material during construction phase should not create any adverse effect on the neighbouring communities and be disposed taking the necessary precautions for general safety and health aspects of people, only in the approved sites with the approval of competent authority.
- III. Any hazardous waste generated during construction phase should be disposed of as per applicable rules and norms with necessary approvals of the Maharashtra Pollution Control Board.
- IV. Adequate drinking water and sanitary facilities should be provided for construction workers at the site. Provision should be made for mobile toilets. The safe disposal of wastewater and solid wastes generated during the construction phase should be ensured.
- V. Arrangement shall be made that waste water and storm water do not get mixed.
- VI. Water demand during construction should be reduced by use of pre-mixed concrete,

curing agents and other best practices.

- VII. The ground water level and its quality should be monitored regularly in consultation with Ground Water Authority.
- VIII. Permission to draw ground water for construction of basement if any shall be obtained from the competent Authority prior to construction/operation of the project.
- IX. Fixtures for showers, toilet flushing and drinking should be of low flow either by use of aerators or pressure reducing devices or sensor based control.
- X. The Energy Conservation Building code shall be strictly adhered to.
- XI. All the topsoil excavated during construction activities should be stored for use in horticulture / landscape development within the project site.
- XII. Additional soil for levelling of the proposed site shall be generated within the sites (to the extent possible) so that natural drainage system of the area is protected and improved.
- XIII. Soil and ground water samples will be tested to ascertain that there is no threat to ground water quality by leaching of heavy metals and other toxic contaminants.
- XIV. PP to strictly adhere to all the conditions mentioned in Maharashtra (Urban Areas) Protection and Preservation of Trees Act, 1975 as amended during the validity of Environment Clearance.
- XV. The diesel generator sets to be used during construction phase should be low sulphur diesel type and should conform to Environments (Protection) Rules prescribed for air and noise emission standards.
- XVI. PP to strictly adhere to all the conditions mentioned in Maharashtra (Urban Areas) Protection and Preservation of Trees Act, 1975 as amended during the validity of Environment Clearance.
- XVII. Vehicles hired for transportation of Raw material shall strictly comply the emission norms prescribed by Ministry of Road Transport & Highways Department. The vehicle shall be adequately covered to avoid spillage/leakages.
- XVIII. Ambient noise levels should conform to residential standards both during day and night. Incremental pollution loads on the ambient air and noise quality should be closely monitored during construction phase. Adequate measures should be made to reduce ambient air and noise level during construction phase, so as to conform to the stipulated standards by CPCB/MPCB.
- XIX. Diesel power generating sets proposed as source of backup power for elevators and common area illumination during construction phase should be of enclosed type and conform to rules made under the Environment (Protection) Act, 1986. The height of stack of DG sets should be equal to the height needed for the combined capacity of all proposed DG sets. Use low sulphur diesel is preferred. The location of the DG sets may be decided with in consultation with Maharashtra Pollution Control Board.
- XX. Regular supervision of the above and other measures for monitoring should be in place all through the construction phase, so as to avoid disturbance to the surroundings by a separate environment cell /designated person.

B) Operation phase:-

- I. a) The solid waste generated should be properly collected and segregated. b) Wet waste should be treated by Organic Waste Converter and treated waste (manure) should be utilized in the existing premises for gardening. And, no wet garbage will be disposed outside the premises. c) Dry/inert solid waste should be disposed of to the approved sites for land filling after recovering recyclable material.
- II. E-waste shall be disposed through Authorized vendor as per E-waste (Management and Handling) Rules, 2016.
- III. a) The installation of the Sewage Treatment Plant (STP) should be certified by an independent expert and a report in this regard should be submitted to the MPCB and Environment department before the project is commissioned for operation. Treated effluent emanating from STP shall be recycled/ reused to the maximum extent possible. Treatment of 100% grey water by decentralized treatment should be done. Necessary measures should be made to mitigate the odour problem from STP. b) PP to give 100 % treatment to sewage /Liquid waste and explore the possibility to recycle at least 50 % of water, Local authority should ensure this.
- IV. Project proponent shall ensure completion of STP, MSW disposal facility, green belt development prior to occupation of the buildings. As agreed during the SEIAA meeting, PP to explore possibility of utilizing excess treated water in the adjacent area for gardening before discharging it into sewer line No physical occupation or allotment will be given unless all above said environmental infrastructure is installed and made functional including water requirement.
- V. The Occupancy Certificate shall be issued by the Local Planning Authority to the project only after ensuring sustained availability of drinking water, connectivity of sewer line to the project site and proper disposal of treated water as per environmental norms.
- VI. Traffic congestion near the entry and exit points from the roads adjoining the proposed project site must be avoided. Parking should be fully internalized and no public space should be utilized.
- VII. PP to provide adequate electric charging points for electric vehicles (EVs).
- VIII. Green Belt Development shall be carried out considering CPCB guidelines including selection of plant species and in consultation with the local DFO/ Agriculture Dept.
- IX. A separate environment management cell with qualified staff shall be set up for implementation of the stipulated environmental safeguards.
- X. Separate funds shall be allocated for implementation of environmental protection measures/EMP along with item-wise breaks-up. These cost shall be included as part of the project cost. The funds earmarked for the environment protection measures shall not be diverted for other purposes.
- XI. The project management shall advertise at least in two local newspapers widely circulated in the region around the project, one of which shall be in the Marathi language of the local concerned within seven days of issue of this letter, informing that the project has been accorded environmental clearance and copies of clearance letter are available with the Maharashtra Pollution Control Board and may also be seen at Website at parivesh.nic.in

- XII. Project management should submit half yearly compliance reports in respect of the stipulated prior environment clearance terms and conditions in hard & soft copies to the MPCB & this department, on 1st June & 1st December of each calendar year.
- XIII. A copy of the clearance letter shall be sent by proponent to the concerned Municipal Corporation and the local NGO, if any, from whom suggestions/representations, if any, were received while processing the proposal. The clearance letter shall also be put on the website of the Company by the proponent.
- XIV. The proponent shall upload the status of compliance of the stipulated EC conditions, including results of monitored data on their website and shall update the same periodically. It shall simultaneously be sent to the Regional Office of MoEF, the respective Zonal Office of CPCB and the SPCB. The criteria pollutant levels namely; SPM, RSPM, SO₂, NO_x (ambient levels as well as stack emissions) or critical sector parameters, indicated for the project shall be monitored and displayed at a convenient location near the main gate of the company in the public domain.

C) General EC Conditions:-

- I. PP has to strictly abide by the conditions stipulated by SEAC& SEIAA.
- II. If applicable Consent for Establishment" shall be obtained from Maharashtra Pollution Control Board under Air and Water Act and a copy shall be submitted to the Environment department before start of any construction work at the site.
- III. Under the provisions of Environment (Protection) Act, 1986, legal action shall be initiated against the project proponent if it was found that construction of the project has been started without obtaining environmental clearance.
- IV. The project proponent shall also submit six monthly reports on the status of compliance of the stipulated EC conditions including results of monitored data (both in hard copies as well as by e-mail) to the respective Regional Office of MoEF, the respective Zonal Office of CPCB and the SPCB.
- V. The environmental statement for each financial year ending 31st March in Form-V as is mandated to be submitted by the project proponent to the concerned State Pollution Control Board as prescribed under the Environment (Protection) Rules, 1986, as amended subsequently, shall also be put on the website of the company along with the status of compliance of EC conditions and shall also be sent to the respective Regional Offices of MoEF by e-mail.
- VI. No further Expansion or modifications, other than mentioned in the EIA Notification, 2006 and its amendments, shall be carried out without prior approval of the SEIAA. In case of deviations or alterations in the project proposal from those submitted to SEIAA for clearance, a fresh reference shall be made to the SEIAA as applicable to assess the adequacy of conditions imposed and to add additional environmental protection measures required, if any.
- VII. This environmental clearance is issued subject to obtaining NOC from Forestry & Wild life angle including clearance from the standing committee of the National Board for Wild life as if applicable & this environment clearance does not necessarily implies that Forestry & Wild life clearance granted to the project which will be considered separately on merit.

4. The environmental clearance is being issued without prejudice to the action initiated under EP Act or any court case pending in the court of law and it does not mean that project proponent has not violated any environmental laws in the past and whatever decision under EP Act or of the Hon'ble court will be binding on the project proponent. Hence this clearance does not give immunity to the project proponent in the case filed against him, if any or action initiated under EP Act.


5. This Environment Clearance is issued purely from an environment point of view without prejudice to any court cases and all other applicable permissions/ NOCs shall be obtained before starting proposed work at site.

6. In case of submission of false document and non-compliance of stipulated conditions, Authority/ Environment Department will revoke or suspend the Environment clearance without any intimation and initiate appropriate legal action under Environmental Protection Act, 1986.

7. Validity of Environment Clearance: The environmental clearance accorded shall be valid as per EIA Notification, 2006, amended from time to time.

8. The above stipulations would be enforced among others under the Water (Prevention and Control of Pollution) Act, 1974, the Air (Prevention and Control of Pollution) Act, 1981, the Environment (Protection) Act, 1986 and rules there under, Hazardous Wastes (Management and Handling) Rules, 1989 and its amendments, the public Liability Insurance Act, 1991 and its amendments.

9. Any appeal against this Environment clearance shall lie with the National Green Tribunal (Western Zone Bench, Pune), New Administrative Building, 1st Floor, D-Wing, Opposite Council Hall, Pune, if preferred, within 30 days as prescribed under Section 16 of the National Green Tribunal Act, 2010.


17/11
Pravin Darade

(Member Secretary, SEIAA)

Copy to:

1. Chairman, SEIAA, Mumbai.
2. Secretary, MoEF & CC, IA- Division MOEF & CC
3. Member Secretary, Maharashtra Pollution Control Board, Mumbai.
4. Regional Office MoEF & CC, Nagpur
5. District Collector, Pune.
6. Commissioner, PMRDA
7. Regional Officer, Maharashtra Pollution Control Board, Pune.